


# Adventure Trails

*“ready-made for the trade”*



**SCHOOL  
PLAYGROUND  
SPECIALISTS**



**Balance Walk**  
L 2400 W 125 H 433mm  
FFH 433mm

**Sloping Balance Walk**  
L 2400 W 125 H 434mm  
FFH 434mm

**Balance Junction**  
L 2400 W 2400 H 550mm  
FFH 550mm


**Balance Beam**  
L 2400 W 200 H 435mm  
FFH 435mm

**V Balance Beam**  
L 2002 W 2050 H 470mm  
FFH 470mm

**Balance Challenge**  
L 6900 W 1600 H 434mm  
FFH 434mm

**Three Bar Balance**  
L 5500 W 1115 H 511mm  
FFH 511mm

**Low Log Roll**  
L 3300 W 200 H 500mm  
FFH 500mm



**Balance Slalom**  
L 3250 W 1200 H 585mm  
FFH 585mm

**Sloping Balance Weave**  
L 2792 W 375 H 1800mm  
FFH 555mm

**Double Sloping Balance Weave**  
L 4589 W 1150 H 1800mm  
FFH 570mm

**Balance Weave**  
L 2800 W 375 H 1800mm  
FFH 450mm

**Log Snake Weaver**  
L 1790 W 661 H 1500mm  
FFH 300mm

**Walk and Stretch**  
L 2225 W 635 H 1000mm  
FFH 300mm

**Log Snake**  
L 1565 W 410 H 500mm  
FFH 500mm

**Log Stack**  
L 1250 W 1800 H 560mm  
FFH 560mm

**150mm Stepping Logs (set of 4)**  
L 400 W 150 H 400mm  
FFH 400mm

**200mm Stepping Logs (set of 4)**  
L 400 W 200 H 400mm  
FFH 400mm



**Steel feet**


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




**600mm Wobble Board**  
L 600 W 195 H 380mm  
FFH 600mm ▶




**1.6m Wobble Board**  
L 1600 W 195 H 380mm  
FFH 600mm ▼



**Tightrope Crossing**  
L 4695 W 850 H 1200mm  
FFH 400mm ▼




**Parallel Bars**  
L 2400 W 725 H 1175mm  
FFH 1175mm ◀




**Leap Frog** ▶  
L 9125 W 125 H 600mm  
FFH 600mm




**1.2m Tunnel** ▲  
L 1338 W 850 H 965mm  
FFH 135mm




**Log Hurdles** ▲  
L 8125 W 2400 H 903mm  
FFH 903mm




**Roll Over Bars**  
L 3200 W 125 H 1100mm  
FFH 1100mm ▼




**1.5m Chin Ups** ▲  
L 3200 W 125 H 1500mm  
FFH 1500mm




**Crawl Net**  
L 2107 W 1179 H 599mm  
FFH 599mm ▼



**Spider Web Net**  
L 3243 W 3243 H 1500mm  
FFH 459mm ▼




**Rope Junction**  
L 2850 W 1500 H 1600mm  
FFH 575mm ▼




**Wobble Log Bridge**  
L 2700 W 1200 H 1700mm  
FFH 536mm ◀




**Rope Crossing**  
L 2650 W 1000 H 1400mm  
FFH 450mm ◀




**Wobble Bridge**  
L 2700 W 1200 H 1400mm  
FFH 513mm ◀



**Burma Bridge** ▲  
L 3000 W 1125 H 1450mm  
FFH 523mm



**Suspension Bridge**  
L 2225 W 1300 H 1400mm  
FFH 513mm ◀




**Steel feet**

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





**Rope Bridge**  
L 2650 W 1125 H 1400mm  
FFH 1400mm




**Underground Tunnel**  
L 1925 W 1450 H 1200mm  
FFH Dependant on mound  
Mound not included.



**Rope Tunnel**  
L 2700 W 1000 H 1425mm  
FFH 1425mm




**Sleeper Tunnel With Steps**  
L 2400 W 1390 H 1700mm  
FFH 859mm




**Slalom Rope Walk**  
L 4322 W 695 H 1800mm  
FFH 458mm





**Cross Rope**  
L 3350 W 250 H 2700mm  
FFH 1000mm




**Rope Walk**  
L 3350 W 250 H 2700mm  
FFH 460mm




**Drop Rope Traverse**  
L 3350 W 300 H 2500mm  
FFH 521mm




**Tarzan Traverse**  
L 3350 W 300 H 2700mm  
FFH 520mm




**Log Roll**  
L 3350 W 250 H 2700mm  
FFH 462mm




**Log Rope**  
L 3000 W 450 H 2575mm  
FFH 436mm




**Log Roll with Drop Ropes**  
L 3350 W 225 H 2500mm  
FFH 462mm




**Rope Weave**  
L 3350 W 300 H 2700mm  
FFH 520mm




**Vertical Spider Net**  
L 3000 W 300 H 2550mm  
FFH 2550mm



**Monkey Bars**  
L 2862 W 1110 H 1850mm  
FFH 1850mm



**Monkey Bar Log**  
L 3450 W 720 H 2085mm  
FFH 1975mm




**Tarzan Ring Beam**  
L 3162 W 1110 H 2050mm  
FFH 1750mm



**Steel feet**

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.





**A-Frame High**  
L 2093 W 1974 H 2000mm  
FFH 2000mm ▶

**A-Frame Low**  
L 1600 W 1974 H 1500mm  
FFH 1500mm ▼


**A-Frame Mini** ▲  
L 1465 W 1800 H 1000mm  
FFH 1000mm

**A-Frame Low with Nets** ▼  
L 1685 W 2110 H 1449mm  
FFH 1449mm

**A-Frame High with Nets** ▲  
L 2322 W 2110 H 1930mm  
FFH 1930mm

**Log Climber Low**  
L 1692 W 1849 H 1500mm  
FFH 1500mm ▼

**Log Climber High** ▲  
L 2093 W 1849 H 2000mm  
FFH 2000mm



**Low Boulder Climber** ▼  
L 1525 W 1595 H 1500mm  
FFH 1500mm

**High Boulder Climber** ▼  
L 2801 W 1974 H 2000mm  
FFH 2000mm

**Climb Net**  
L 150 W 2060 H 1500mm  
FFH 1500mm ▼

**Mini Twist Net** ▼  
L 2632 W 1100 H 1500mm  
FFH 1500mm

**Climb Ladder** ▼  
L 150 W 1350 H 1730mm  
FFH 1730mm

**Twist Net** ▼  
L 3200 W 2295 H 1900mm  
FFH 1900mm


**Timber Gate Climber** ▼  
L 1900 W 312 H 1900mm  
FFH 1900mm




**Steel feet**

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.







**Zig Zag Traverse Wall**  
L 3922 W 840 H 1800mm  
FFH 599mm




**Traverse Wall**  
L 2850 W 150 H 1800mm  
FFH 500mm (Double Sided)



**6m Sleeper Traverse Wall**  
L 6000 W 190 H 1755mm  
FFH 590mm



**Zig-Zag Sleeper Traverse Wall**  
L 2720 W 775 H 1755mm  
FFH 590mm



**Sleeper Climb Wall**  
L 4000 W 385 H 2340mm  
FFH 2340mm (Double Sided)




**Steel feet**


Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.




**Regular Embankment Net**  
L 3640 W 2235 H 599mm  
FFH 599mm



**Medium Embankment Net**  
L 4305 W 2475 H 599mm  
FFH 599mm




**Large Embankment Net**  
L 5050 W 2800 H 825mm  
FFH 825mm



**Embankment Ramp**  
L 2196 W 1350 H 1300mm  
FFH 275mm

FFH is assuming the ramp is situated on a bank with no drops.


Recommended angle for embankment is 30 degrees.



**Wall Net Combo**  
L 6770 W 150 H 2380mm  
FFH 1139mm (Double Sided)



**Traverse Weave Combo**  
L 2764 W 802 H 2100mm  
FFH 599mm (Double Sided)




**Jigsaw Traverse Wall**  
L 2670 W 825 H 1850mm  
FFH 599mm

**Trail 1**

L=21m W=1.6m Not including Safety Surface


Consists of: *Sloping Balance Walk, Balance Walk, Drop Rope Traverse, 200mm Stepping Logs, Sloping Balance Weave, Balance Challenge.*



**Trail 2**

L=21m W=640mm Not including Safety Surface


Consists of: *Sloping Balance Walk, Cross Rope, 200mm Stepping Logs, Log Rope, Log Snake, Rope Walk, Walk and Stretch, Sloping Balance Walk.*



**Trail 3**

L=20m W=1.3m Not including Safety Surface

Consists of: *Sloping Balance Walk, Suspension Bridge, Log Snake, Log Roll, 200mm Stepping Logs, Burma Bridge, Sloping Balance Walk, Log Snake Weaver.*



**All trails can be arranged differently to suit your needs!**

**Trail 4**

L=25.5m W=1.1m Not including Safety Surface

Consists of: *Tightrope Crossing, Rope Tunnel, 200mm Stepping Logs, Balance Walk, Traverse Weave Combo, Climb Ladder, Tarzan Ring Beam.*



**Trail 5**

L=17.5m W=1.2m Not including Safety Surface


Consists of: *200mm Stepping Logs, Crawl Net, Slalom Rope Walk, Rope Weave, 1.6m Wobble Board, Balance Slalom.*



**Trail 6**

L=24m W=1.6m Not including Safety Surface

Consists of: *Balance Challenge, Log Rope, 200mm Stepping Logs, Double Sloping Balance Weave, Drop Rope Traverse, Balance Slalom.*



**All trails can be arranged differently to suit your needs!**



**Steel feet**

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

**Trail 7**

L=22.9m W=1.2m Not including Safety Surface


Consists of: *Tightrope Crossing, Wobble Bridge, 200mm Stepping Logs, Log Roll with Drop Ropes, Rope Bridge, Sloping Balance Weave.*



**Trail 8**

L=13.75m W=0.6m Not including Safety Surface

Consists of: *Balance Walk, Rope Walk, Log Rope, Cross Rope Balance Walk.*



**Trail 9**

L=9m W=0.8m Not including Safety Surface


Consists of: *Slalom Rope Walk, Log Snake, Jigsaw Traverse Wall.*



**Trail 10**

L=10.5m W=1.2m Not including Safety Surface


Consists of: *Sloping Balance Weave, Log Snake Weaver, Balance Slalom, 1.2m Tunnel.*



**Linked Trail 1**

L=9.56m W=0.58m Not including Safety Surface


Consists of: *Sloping Balance Beam (x2), Drop Rope Traverse, Stepping Posts (x2), Rope Weaver Net, Log Rope.*



**Linked Trail 2**

L=15.8m W=0.58m Not including Safety Surface

Consists of: *Balance Beam with Rope (x2), Tarzan Traverse, Rope Weaver Net, Log Roll, Stepping Posts (x2), Rope Walk, Rope Weave.*




**Steel feet**

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

## Linked Trail 3

L= 14.4m W=0.8m Not including Safety Surface


Consists of: *Sloping Balance Weave, Rope Weave, Walk and Stretch Posts, Log Rope, Jigsaw Traverse Wall, Balance Beam, Stepping Posts (x2).*



## Linked Trail 4

L= 14.3m W= 1.32m Not including Safety Surface

Consists of: *Rope Crossing, Balance Beam, Log Roll, Rope Weaver Net, Drop Rope Traverse, Balance Beam, Wobble Bridge.*



## Linked Trail 5

L= 17m W= 1.2m Not including Safety Surface

Consists of: *Balance Beam (x2), Drop Rope Traverse, Mini Twist Net, Wobble Bridge, Tightrape Crossing, Rope Weave, Stepping Posts (x1).*




### Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

## Linked Trail 6

L= 14m W=4.2m Not including Safety Surface


Consists of: *Double Balance Beam, Rope Crossing, Balance Beam, Log Rope, Rope Weaver Net, Log Roll, Jigsaw Traverse Wall, Tarzan Traverse, Cross Rope, Traverse Net, Balance Slalom, Stepping Posts (x4).*



## Linked Trail 7

L= 17.2m W=6.35m Not including Safety Surface


Consists of: *Sloping Balance Weave, Slalom Rope Walk, Log Rope, Mini Twist Net, Rope Crossing, 3 Bar Balance, Wobble Bridge, Balance Beam, Log Roll, Rope Weaver Net, Tarzan Traverse, Tightrape Crossing, Stepping Posts (x4).*




## Linked Trail 8

L= 15.5m W=4.94m Not including Safety Surface

Consists of: *3 Bar Balance, Rope Weave, Balance Beam, Log Rope, Rope Walk, Log Roll, Double Sloping Balance Weave, Drop Rope Traverse, Cross Rope, Traverse Net, Stepping Posts (x7), Jigsaw Traverse Wall, Tarzan Traverse.*



**Bespoke Linked Trails can be designed on request.**




## Mini Timber Trail 1

L=5721mm W=375mm Not including Safety Surface  
Consists of: 2 Mini Balance Beams, Mini Rope Weave, Mini Balance Weaver.

## Mini Timber Trail 2

L=4991mm W=625mm Not including Safety Surface  
Consists of: Mini Drop Rope Traverse, Mini Uneven Bridge, Mini Balance Weaver.



## Mini Timber Trail 3

L=7155mm W=620mm Not including Safety Surface  
Consists of: Mini Balance Beam, Mini Drop Rope Traverse, Mini Stepping Posts, Mini Rope Walk, Mini Balance Weaver.




### Steel feet

Galvanised steel feet can be fitted on all Timber Trails for a small additional charge. Steel feet offer an alternative to in-ground timbers and can be used in both wet pour and extended for loose fill surfacing.

## Mini Timber Trail 4

L=10043mm W=973mm Not including Safety Surface  
Consists of: 2 Mini Balance Beams with Ropes, Mini Drop Rope Traverse, 2 Triangular Mini Decks, Mini Wobble Bridge, Mini Rope Walk, Mini Stepping Logs.



## Mini Timber Trail 5

L=7018mm W=5964mm Not including Safety Surface  
Consists of: 3 Mini Balance Beams, Mini Balance Weave, 3 Mini Triangular Rope Walks, Triangular Mini Deck, Mini Drop Rope Traverse, Mini Rope Weave.



## Mini Timber Trail 6

L=14277mm W=405mm Not including Safety Surface  
Consists of: Mini Balance Beam, Mini Traverse Wall, Mini Stepping Logs, Mini Drop Rope Traverse, Mini Crossover Balance Beams, Mini Rope Walk, Mini Uneven Bridge, Mini Rope Weave, Mini Balance Weave.




**Bespoke Linked Trails can be designed on request.**


# Steel Trails

Dimensions do not include surfacing  
FFH - Free Fall Height

**Steel Sloping Balance Beam**  
L 2400 W 100 H 410mm  
FFH 410mm



**Steel Balance Beam**  
L 2400 W 100 H 410mm  
FFH 410mm



**Steel 3 Bar Balance Beam**  
L 7200 W 100 H 415mm  
FFH 415mm




**Steel Sloping Balance Weave**  
L 2800 W 300 H 1800mm  
FFH 475mm




**Steel Zig Zag Balance Beam**  
L 2000 W 605 H 420mm  
FFH 420mm




**Steel Stilts**  
L 3600 W 540 H 1800mm  
FFH 590mm




**Steel Leap Frog**  
L 8484 W 100 H 1000mm  
FFH 1000mm



**Steel 1.2m Tunnel**  
L 1300 W 760 H 975mm  
FFH 140mm



**Steel Spider Web Net**  
L 2285 W 2285 H 1500mm  
FFH 580mm



**Steel Slalom Rope Walk**  
L 3066 W 1587 H 1800mm  
FFH 480mm




Different paint options available upon request


# Steel Trails

Dimensions do not include surfacing  
FFH - Free Fall Height

**Steel Mini Twist Net**  
L 2550 W 1100 H 1500mm  
FFH 1500mm




**Steel Rope Bridge**  
L 2600 W 1100 H 1410mm  
FFH 1410mm




**Steel Burma Bridge**  
L 2900 W 850 H 1460mm  
FFH 520mm




**Steel Crawl Net Bridge**  
L 2056 W 1100 H 1410mm  
FFH 510mm




**Steel Suspension Bridge**  
L 2150 W 1100 H 1400mm  
FFH 510mm




**Steel Wobble Bridge**  
L 2650 W 1100 H 1410mm  
FFH 510mm



**Steel Jigsaw Traverse Wall**  
L 2704 W 100 H 1925mm  
FFH 599mm



**Steel Traverse Weave Combo**  
L 2429 W 980 H 2100mm  
FFH 575mm





Different paint options available upon request

# Steel Trails


Dimensions do not include surfacing  
FFH - Free Fall Height

**Steel Roll Over Bars**  
L 2100 W 100 H 1150mm  
FFH 1107mm



**Steel 1.5m Steel Chin Ups**  
L 3100 W 100 H 1500mm  
FFH 1457mm


**Steel Rope Walk**  
L 3200 W 300 H 1800mm  
FFH 485mm



**Steel Cross Rope**  
L 3200 W 300 H 1800mm  
FFH 1000mm



**Steel Drop Rope Traverse**  
L 2850 W 300 H 2500mm  
FFH 425mm



**Steel Rope Weave**  
L 3200 W 300 H 2500mm  
FFH 410mm



**Steel Gate Climber**  
L 1337 W 100 H 1500mm  
FFH 1500mm

**Steel Log Rope**  
L 2850 W 450 H 2500mm  
FFH 461mm


**Steel Tarzan Traverse**  
L 2850 W 300 H 2500mm  
FFH 425mm

Different paint options available upon request

# Steel Trails

Dimensions do not include surfacing  
FFH - Free Fall Height

**Steel Tarzan Ring Beam**  
L 2540 W 1065 H 2143mm  
FFH 1750mm



**Steel Monkey bars**  
L 2550 W 1060 H 2000mm  
FFH 1886mm


## Steel Trail 1

L=12.1m W=1.6m Not including Safety Surface  
CONSISTS OF: *Sloped Balance Beam, Drop Rope Traverse, Slalom Rope Walk, Sloping Balance Weave.*



## Steel Trail 2

L=14.2m W=0.45m Not including Safety Surface  
Consists of: *Sloped Balance Beam, Rope Walk, Log Rope, Cross Rope, Sloped Balance Beam.*



Different paint options available upon request



All products are designed and produced in the UK from sustainably sourced timber and EvaRound timbers can be FSC® certified (FSC® C102594) on request.

The Adventure Trails range accommodates all ages, budgets and play scheme sizes. Our uncompromising approach to safety during the design and manufacturing process is paramount. With this in mind all the Timber Trail items have been independently certified by the Play Inspection Company to meet the demands BS EN 1176.

In order to ensure the highest level of accuracy, all units are produced on our custom made, state of the art, 6 Axis CNC machine. This technology allows us to offer unparalleled accuracy in the field of play timber production.



**SCHOOL  
PLAYGROUND  
SPECIALISTS**

Tel: 01244 267685

[www.schoolplaygroundspecialists.co.uk](http://www.schoolplaygroundspecialists.co.uk)

Email: [info@schoolplaygroundspecialists.co.uk](mailto:info@schoolplaygroundspecialists.co.uk)

Vickers Way,  
Broughton, Chester,  
CH4 0FX